

[https://doi.org/10.52326/jss.utm.2021.4\(3\).11](https://doi.org/10.52326/jss.utm.2021.4(3).11)
UDC 37.025.7:82:811.134.2



BEE HONEY: HISTORY, CHARACTERISTICS, PROPERTIES, BENEFITS AND ADULTERATION IN THE BEEKEEPING SECTOR

Aurica Chirsanova^{1*}, ORCID: 0000-0002-1172-9900,
Tatiana Capcanari¹, ORCID: 0000-0002-0056-5939,
Alina Boistean¹, ORCID: 0000-0002-5374-5853,
Imen Khanchel², ORCID: 0000-0002-7762-9961

¹Technical University of Moldova. 168 Ștefan cel Mare Blvd., MD-2004, Chișinău, Republic of Moldova

²Manouba University, Manouba University Campus, 2010 La Manouba, Tunisia.

*Corresponding author: Aurica Chirsanova, aurica.chirsanova@toap.utm.md

Received: 06. 24. 2021

Accepted: 08. 12. 2021

Abstract. This review aims to share the history of bees and the use of honey as the only natural sweetener available to mankind for more than 40,000 years. At the same time, the characteristic of the beekeeping sector is presented, highlighting the top honey producers worldwide. The botanical origin of honey is the basis for the characterization of the 14 types of honey presented. Honey standards were analyzed to provide an overview of quality and physico-chemical indices. The data indicated in the national and regional honey standard are identical to the data for the international Codex Alimentarius standard. After the comparative analysis of these 3 sources, no significant deviations were identified. The tendencies of using honey from ancient times as a nutritious food product, as a preservative, as a medicine for treating various diseases and for performing certain rituals, etc. were highlighted. At the same time, the population must be encouraged to consume this incomparable bee product.

Keywords: honey, beekeeping, characteristics, properties, benefits, adulteration.

Rezumat. Acest articol își propune să împărtășească istoria albinelor și utilizarea mierii ca singurul îndulcitor natural disponibil omenirii de mai mult de 40 de mii de ani. În același timp, este prezentată caracteristica sectorului apicol, scoțând în evidență producătorii de top de miere la nivel mondial. Originea botanică a mierii stă la baza caracterizării celor 14 tipuri de miere prezentate. Au fost analizate standardele pentru miere, pentru a oferi o imagine de ansamblu asupra indicilor de calitate și fizico-chimici. Datele indicate în standardul național și regional pentru miere sunt identice cu datele pentru standardul internațional Codex Alimentarius. După analiza comparativă a acestor 3 surse, nu au fost identificate abateri semnificative. Au fost scoase în evidență tendințele utilizării mierii din cele mai vechi timpuri ca produs alimentar nutritiv, conservant și medicament pentru tratarea diferitelor boli și pentru efectuarea anumitor ritualuri etc. Totodată populația trebuie încurajată să consume acest produs apicol incomparabil.

Cuvinte-cheie: miere, sectorul apicol, caracteristici, proprietăți, beneficii, adulterare.

Introduction

Beekeeping plays a very important role in the production of valuable products such as: honey, wax, pollen, propolis, royal jelly and others. This branch of agriculture ensures the pollination of crops and influences the considerable increase in the quantity and quality of some products, especially seeds and fruits [1]. In the wild, the western bee *Apis Mellifera* Linnaeus is found in Europe, the Middle East and Africa. This species has been subdivided into at least 20 recognized breeds that are widely distributed beyond its natural range, due to the economic benefits of pollination and honey production. Currently, European honey bees are naturalized on all continents except Antarctica [3, 4]. Bee honey is considered the most consumed bee product. It is defined by the Codex Alimentarius as a "sweet substance, produced by *Apis Mellifera* bees from the nectar of flowers or secretions of living plants, which bees collect, transform by combining with their specific substances and stored in honeycombs for ripening and maturation" [5].

1. The bee in history

As the only available sweetener, honey has been an important food for *Homo Sapiens* since its inception [6,7], and the relationship between bees and *Homo Sapiens* began in the Stone Age. Bees are 10-20 million years old and are one of the oldest forms of animal life to date [8].

According to scientists, bees have been producing honey for almost 40 million years. Ancient civilizations prized honey primarily for its sweetness and also used it as a commercial product [9].

- 50,000 BC - hominids were able to collect honey and like modern monkeys. They used sticks to extract honey.
- Neolithic Age - primitive people also ate honey from wild beehives. A rock painting preserved in Valencia, Spain, depicts people mining honey.



Figure 1. Cave painting, people are looking for honey [10].

- Bronze Age - people began to prepare a mixture of honey and water, a drink that can also contain alcohol if left to ferment [11]. Beeswax becomes a very expensive product. It began to be used in various religious rituals: birth, marriage, purification and death; embalming, sealing the coffin and mummification, as well as for candle production. 3000 - 4000 BC - in this period mankind begins to keep bees.
- 2700 BC - honey, beeswax and propolis have become widely used in medicine as a medicine for the treatment of wounds.

- 2600 and 2200 BC - honey became the most popular ancient medicine in Egypt, due to its antibacterial properties it was used as an ointment to help heal infected wounds. All medicines contained honey with wine and milk [12].
- 2000 - 1000 BC - The ancient Greeks consumed a drink called Oenomele which was made from honey and unfermented grape juice [13]. Hippocrates recommends several products obtained from honey. Thus a diet based on the consumption of fruit vinegar and honey was considered very effective. The water-based drink with bee honey was recommended for soothing and a quality and deep sleep [14]. He used honey for wound healing, baldness, contraception, cough, laxative action and sore throat, topical antiseptic, eye disease, prevention and treatment of scars.



Figure 2. Ancient coin from Crete - Bees and Persephone 300 BC [15].

- 600 - 1000 AD - in Islamic medicine, honey was used as a healthy drink.
- Medieval times - the currency was used beeswax, imposed as a tribute by conquered peoples, and was used in writing, painting, sculpture and for lighting, as well as in protecting works of art.
- 1622 AD - European honey bee *Apis mellifera* L., is considered more productive, because of this, pilgrims in the 1600s brought the first bees to North America.
- 1850 - bees have already spread throughout the continent. People used traps to catch the bees and then released them and followed the bees to their hive. 1852 - L. L. Langstroth, invents and patents a hive with movable frames which is still used today, causing an increase in the production of honey. The innovative key to the Langstroth beehive design was the discovery of a bee space (6-9mm), in which the bees do not build combs and do not close it with propolis [16].

Today, honey is one of the last untreated natural foods [17], and in order to feed itself, a bee can button



Figure 3. Three Langstroth hives adjacent to a water source.

an average radius of 1 to 3 km around its hive, in extreme famine situations. - up to 10 km. About 120,000 bees produce about 1 kg of honey, and in its lifetime one bee produces only a tablespoon of honey [18].

2. Characteristic of the beekeeping sector worldwide

Currently, the annual world honey production is less than 1% of the total sugar production, which is about 1.2 million tons per year.

The largest honey producing countries are China, the United States and Argentina. Some East African countries are also important players in the international market, but the African continent as a whole is under-represented globally (figures 4 and 5) [19].




Figure 4. Top honey producers distributed by geographic areas [20].




Figure 5. Honey production in the last decade [20].

Globally, honey consumption is very different. For example, in the countries that produce and export the largest amount of bee honey such as China and Argentina, annual consumption is quite low. At the same time, there are situations when domestic honey production does not cover the needs of the domestic market. This situation is characteristic of some developed countries (table1).




Table 1





Global trends in annual honey consumption	
Country	Annual honey consumption, kg / inhabitant
Italy, France, United Kingdom	0,3 to 0,4
Australia, Austria, Germany, Greece, Hungary, Switzerland, Portugal, Canada	0,6 to 0,8
China, Argentina	0,1 to 0,2
Denmark, Portugal to the sea	1 to 1,8

3. Characteristic of some types of honey depending on the botanical origin

Most often, honey is appreciated by consumers for its taste, sweetness and aroma. These characteristics are mainly related to the botanical origin of the plants used in the production of honey [21]. The price of honey is influenced by both the geographical position of the country or region of honey collection, as well as the botanical origin of honey, that is, the purity of pollen collection. These parameters increase the value of the product and give it a specific aroma and taste, and also has special medicinal properties [22]. A distinction is made between flower honey, which can be monofloral (with specific sensory, physical and chemical characteristics) and multifloral; and honeydew honey, called forest honey [23]. In the table nr.2 below are characterized by botanical origin the types of honey.

Table 2

Characteristics of honey types by botanical origin			
Nr. ord	Type of honey	Original flower / flowers	Characteristics
Monofloral (unifloral) types of honey			
1.	Linden honey		Linden honey has an unmistakable fragrance and a strong aroma of lime blossom flowers of a red-yellow-orange color. It can be fluid, viscous or crystalline, depending on the time of year [28]. The best honey production is obtained from silver lime (950 - 1200 kg / ha), large-leaved lime (800-1000 kg), and pumice lime offers 450-800 kg / ha [29].
2.	Acacia honey		Acacia honey is light in color, the flavor is medium sweet and very smooth. Thanks to the high fructose content, this honey remains liquid for a long time [30]. It is a very nutritional honey with a strong antioxidant, immunomodulator, neurological potential [31].
3.	Sunflower honey		Honey has shades ranging from straw yellow to gold, with a specific, sweet smell and taste; due to the high content of glucose, it crystallizes quickly, acquiring a very compact mass [32].

4.	Rapeseed honey		Rapeseed honey belongs to "white honey, containing a unique amount and combination of nutrients [33]. After pumping, there is a light amber color, almost white; after crystallization, it looks like whipped cream. The aroma is pleasant, slightly hard, the taste is pronounced, sweet, even sweet, a bit bitter, thanks to the secretion of rapeseed nectar, rich, deep and very acidic [34].
5.	Buckwheat honey		Buckwheat honey has a dark color, a slightly bitter and tangy taste, it is not as sweet as classic honey and a pleasant, intense smell, combining sweet and slightly bitter aromas. In the process of crystallization, which takes place rapidly, the color becomes lighter [35].
6.	Lavender honey		Premium quality lavender honey with a very delicate lavender aroma, pleasant and well balanced. The color ranges from light white to very light amber. If it is dark in the presence of honeydew, it may have salty notes. Moderate to very fine crystallization. No bitterness and low tasting acidity [36].
7.	Thyme honey		Is a honey with a unique aroma, produced from many species of thyme (350 species) [27] - an aromatic plant, with a very strong odor. It is quite dark, amber or brown, with a fruity odor, creamy consistency that can sometimes become grainy during crystallization. Rich in carbohydrates, should be stored at room temperature in a dry and ventilated place to retain all its properties [28].

8. **Eucalyptus honey**



Eucalyptus honey is rich in eucalyptus tree pollen grains and has specific physicochemical characteristics that set it apart from other monofloral honeys [24]. It is a medium dark color and may have a red tint. It is a honey with strong antioxidant and anticancer activity [25].

9. **Black grass honey**



It is a rare honey, cannot be confused with any other honey, which has started to be more and more sought after nowadays. It has a strong, slightly bitter taste (preferred by diabetics) and a strong floral scent, which places this assortment in the premium category [26].

10. **Raspberry honey**



This honey is easily recognizable by its specific whitish color. Specialists recommend this variety of honey, with an incomparable aroma, especially for women, because it regulates the activity of the ovaries and rejuvenates. It is one of the forest varieties and is 100% natural because it cannot be counterfeited [27].

Multiflora honey (polyfloreaux)

11. **Multiflower honey / polyflowers**



Said wildflower honey is quite bright with amber highlights. The presence of pollen from various plants also gives this honey a rich content of vitamins and minerals. [37,38]. It has a persistent aromatic and sweet taste with slight variations depending on the flowers from which it comes. The color can range from light yellow to orange and brown, with ruby amber highlights [38,40].

12. **Spice flower honey**



Is a natural type of Tunisian honey, whose bees forage in fields of cumin and coriander, which gives it a unique taste is specific [41].
Honey has a dense consistency with fine particles of crystals.

13. **Mountain honey**



Mountain honey is more full-bodied, strongly aromatic, amber in color, rich in flavor and renowned, with a herbaceous and strong taste. The bee colonies that produce this honey are located in remote mountainous regions. A diverse wild flora with nectar and honeydew gives this honey a rich and aromatic flavor [42,43].

Non-floral honey

14. **Manna honey**



Badly called forest honey, fir honey, comes from the sweet juices (manna) collected by bees on certain parts of plants (other than the nectar glands), resulting from the metabolism of insects (aphids, psyllids, coccidia or lecanids) which parasitize some plant species (trees and shrubs), consume sap and excrete mana [44,45,46]. There is dark brown color, specific taste, slightly caramelized, it can be consumed by people allergic to pollen [47,48].

4. Physico-chemical properties of honey according to normative documents

For the beginning, the standards for honey were analyzed, in order to give an overview of the physicochemical quality indices [49, 50]. The data indicated in the national and regional standard for honey are identical to the data for the international Codex Alimentarius standard. After the comparative analysis of these 3 sources, no significant deviations were identified, all identical to each other [51, 52].

Table 3

Honey quality indices, stipulated in International, National and Regional standards

	International Standard	National Standard	Regional Standard
Physico-chemical properties	STANDARD FOR HONEY CXS 12-1981[53]	Nr. HG661/2007 of 13.06.2007 [54]	COUNCIL DIRECTIVE 2001/110 / EC of 20 December 2001 on honey [55]

Continuation Table 3

Moisture, max, %	20	20 -21	20
Water insoluble matter content, max, g / 100g	0.1	0,1	0,1
Sugar content, fructose and glucose, max, g / 100g	60	60	60
Sucrose content, max, g / 100g	5	5	5
Electrical conductivity, mS / cm	0.8	0.8	0.8
Free acid, max, milliequivalents per 1000 grams	50	50	50
Diastase activity (Schade scale), min	8	8	8
Hydroxymethylfurfural (HMF), mg per 1 kg of honey, maximum	40 mg/kg	20-40 mg/kg	40 mg/kg

5. Functional properties of honey

Bee honey is a very complex food product and is found on the market in a very varied assortment. The physico-chemical and biological properties give it a multitude of both nutritional and therapeutic characteristics. [56, 57].

As already noted, most of the ancient peoples used honey both for food and for medicinal purposes. According to a biblical proverb, the wise Solomon said, "My son, eat honey, for it is good, and the honeycomb is sweet in your mouth." (Old Testament, Proverbs 24:13).

Honey has many important functional and biological properties: antibacterial, antifungal, antioxidant antiviral, anti-inflammatory, anticarcinogenic, prebiotic. These properties are largely related to potential use in medicine, including gastroenterology, and for management [58, 59].

6. The nutritional properties of honey

Honey provides 310 calories per 100 g, and 1 kg of honey is equivalent to 3 liters of milk, 30 bananas, 50 eggs or 12 kg of meat. It is a natural product without additives and preservatives and its aromatic and taste qualities could be stored for a long time.

The daily dose of honey in the amount of 20 g covers about 3% of the daily energy requirement [60].

In terms of vitamin content, honey is inferior to many food products.

Honey mainly contains water-soluble vitamins and always a mixture of pollen grains (very rich in vitamins), therefore the vitamin content of honey mainly depends on its presence, the composition and quantity of which in turn depend on the type of honey plants, timing of nectar collection, weather conditions [76].




Figure 6. The nutritional value for 100g honey presented by FAO [Produced by the author].




Figure 7. The vitamin content in 100g honey [Directed by the author].

Minerals affect the taste of honey, which also reduce the acidity of honey, which slightly alters its taste. The mineral composition of honey depends on its botanical origin and the chemical composition of the soil. Thus, honeydew honey contains a greater amount of minerals than floral honey, dark honey more than light honey, and polyfloral honey more than monofloral honey [61].

8. Therapeutic properties of honey

The therapeutic properties of bee honey are different and depend on the type of honey used in different diseases. Honey is used therapeutically by topical application, orally, by electrophoresis or in the form of aerosols. The antibacterial and antioxidant activity of honey strongly depends on its botanical origin [63,64].

Because honey has strong anti-inflammatory activity, it is often used as an antibacterial agent to treat infections in various types of wounds.

Numerous studies in this field have shown that these wounds, which are difficult to heal, give good results in honey dressings, which are easily removed without damaging the regressing cells. Honey promotes rapid healing with minimal scarring, so the inflammation, swelling, and pain go away quickly and the unpleasant odors cease




Figure 8. Schematic representation of therapeutic potentials of bee honey [64].

In vitro and in vivo studies have demonstrated the antifungal, antimicrobial, antiviral, antidiabetic and anticancer activity of honey. A protective effect of honey has also been observed under physiological conditions characterized by high levels of free radicals, such as those of athletes playing different sports. As well as, the protective effect on the nervous, cardiovascular, gastrointestinal and respiratory systems has also been proven.

9. The problem of honey adulteration in the beekeeping sector

However, beekeeping faces a number of problems that affect the quality and quantity of honey produced. One of the reasons in developing countries is the lack of qualified beekeepers, sufficient training in modern beekeeping techniques and access to appropriate equipment, which is also too expensive. In developed countries, the damage to bees is due to collapse disorder. The causes of which are unknown, although scientists are still studying several factors to determine an exact cause, they speculate that excessive use of pesticides is one of the possible causes [65].

Pesticides and their residues, as well as heavy metals related to particles of 10 µm and smaller - represent fine particles. They are composed of various chemical components with a toxic potential [67]. It is known that pesticides, insecticides and others come from agricultural sources. On the other hand, heavy metals appear as a result of industrial technological processes, etc. [68]. Bees can ingest contaminants orally during foraging and then carry their honey [69]. Pollutants can also reach stored foods, such as bee bread, royal jelly or propolis. In addition, pollutants can be deposited from the body insect and through the air. They can

considering a definition for honey that will meet the standard issued by the Codex Alimentarius [73, 74]. In the European Union there is an identity standard for honey, which is almost identical to that of the Codex Alimentarius [75].

Beekeeping remains a quite attractive branch for the rural area. Anyone on earth has heard about the benefits of this unique beekeeping product. Thus, honey that deserves to be promoted and recommended for its beneficial qualities [76 - 78].

Conclusions

By studying the properties of different types of honey, it has been established that they have nutritional and therapeutic properties, due to their content of proteins, carbohydrates, vitamins, tannins, and antioxidant properties due to the content of phenolic compounds. and flavonoids they contain.

Following the literature review, the benefits of consuming honey have been demonstrated, whose aroma, taste, color and flavor offered by honey are directly related to its botanical origin.

Honey has been used since ancient times as a nutritious food product, as a preservative, as a medicine to treat various diseases and to perform certain rituals, and the population must be encouraged to consume this incomparable bee product.

Fraudulent honey adulteration companies are becoming more and more common and consumers are being deceived with honey with additives that are harmful to health.

Acknowledgments: The results of the research presented were carried out within the project «Développement durable de l'apiculture: enjeux économiques, écologiques, de développement rural et de santé publique», which took place during the years 2019-2021. The project was funded by the "Agence Universitaire de la Francophonie en Europe Centrale et Orientale".

Reference

- Greenop A., Mica-Hawkyard N., Walkington S., Wilby A., Cook S.M., Pywell R.F., Woodcock B.A. *Equivocal Evidence for Colony Level Stress Effects on Bumble Bee Pollination Services* [online]. In: *Insects*, 2020, 11(3), pp.191. Disponibil: <https://doi.org/10.3390/insects11030191>
- Anand S., Deighton M., Livanos G., Morrison P., Pang E., Mantri N. *Antimicrobial activity of agastache honey and characterization of its bioactive compounds in comparison with important commercial honeys*. In: *Frontiers in Microbiology*, 2019, pp. 263. Disponibil: [10.3389/fmicb.2019.00263](https://doi.org/10.3389/fmicb.2019.00263)
- Mortensen A.N., Schmehl D.R., Ellis J. *European honey bee scientific name: Apis mellifera and subspecies Linnaeus (Insecta: Hymenoptera: Apidae)*. In: *Entomology and Nematology Department, University of Florida*, 2013, pp. 568. Disponibil: http://entnemdept.ufl.edu/creatures/misc/BEES/euro_honey_bee.htm
- Pocol C., B., Sedik P., Brumă I. S., Amuza A., Chirsanova A. *Organic beekeeping practices in Romania: Status and perspectives towards a sustainable development*. In: *Agriculture (Switzerland)*. 2021, 4(11). Disponibil: <https://doi.org/10.3390/agriculture11040281>
- CODEX ALIMENTARIUS, *International Food Standards, STANDARD FOR HONEY CXS 12-1981*
- Head R.J. *A Brief Survey of Ancient Near Eastern Beekeeping*. In: *JSTOR The FARMS Review*, [online] 2008, 20(1), pp. 57 – 66. [accessed 31.05.2021] Disponibil: www.jstor.org/stable/10.5406/farmsreview.20.1.0057.
- Gene K. *Beekeeping from Antiquity Through the Middle Ages*. In: *Annual Review of Entomology*, 2017, 62(1), pp. 249 - 264
- The History of Honey and Beekeeping*
Disponibil: <http://localhoneyfinder.org/HistoryOfHoney.php>
- World atlas, countries that consume the most honey*
Disponibil: <https://www.worldatlas.com/articles/countries-that-consume-the-most-honey.html>

10. The Man of Bicorp. Disponibil: <https://beesinbicorp.weebly.com/>
11. Iarovoii V. *Patrimoniul cultural imaterial al Republicii Moldova*. Mied, cercetător științific, Muzeul Național de Etnografie și Istorie Naturală
Disponibil: <http://www.patrimoniuiaterial.md/ro/pagini/registrul-f%C8%99ele-elementelor-de-patrimoniucultural-imaterial-cuno%C8%99tin%C8%9Be-privind-alimenta%C8%9Bia/mied>
12. Crane E. *The archaeology of beekeeping*. Gerald Duckworth & Co. Ltd. London, 1983
13. *The History of Honey and Beekeeping*
Disponibil: <http://localhoneyfinder.org/HistoryOfHoney.php>
14. Zargarani A., Zarshenas M.M., Mehdizadeh A., Mohagheghzadeh A. Oxymel in Medieval Persia, In: *Pharmaceutical Historian*, London, 2012, 42(1), pp. 11 - 13.
15. Thyme Honey. Disponibil: <https://www.honeytraveler.com/single-flower-honey/thyme-honey/>
16. Langstroth hive Disponibil: https://en.wikipedia.org/wiki/Langstroth_hive
17. Bogdanov S. *Honey as Nutrient and Functional Food, Book of Honey*. 8, 2016, pp.47.
18. FAO: *Food And Agriculture Organization*.
Disponibil: <http://www.fao.org/resources/infographics/infographics-details/en/c/1202954/>
19. Coulibaly B., Diomandé M., Konaté I., Bohoua L.G. *Qualité Microbiologique, Propriétés Physicochimiques et Profil Sensoriel de Miels de la Région du Worodougou, Côte d'Ivoire*, 2019.
20. FAO <http://www.fao.org/> Disponibil: <http://www.fao.org/resources/infographics/infographics-details/en/c/1202954/>
21. Akalin H., Bayram, M., Anli, R.E. *Determination of some individual phenolic compounds and antioxidant capacity of mead produced from different types of honey*. In: *J. Inst. Brew.* [online] 2016, 123, pp.167–174.
22. Erban T., Shcherbachenko E., Talacko P., Harant K. *The unique protein composition of honey revealed by comprehensive proteomic analysis: Allergens, venom-like proteins, antibacterial properties, royal jelly proteins, serine proteases, and their inhibitors*. In: *Journal of Natural Products*, [online] 2019, 82 (5), pp. 1217-1226
Disponibil: 10.1021/acs.jnatprod.8b00968
23. Marilyn G.T., Eillen S. N., Gabriel A. I., Villacrés Granda I.M., Tejera E., Beltrán-Ayala P., Giampieri F., Battino M. *Influence of botanical origin and chemical composition on the protective effect against oxidative damage and the capacity to reduce in vitro bacterial biofilms of monofloral honeys from the andean region of Ecuador*. In: *International Journal of Molecular Sciences*, [online] 2018, 19 (45). Disponibil: 10.3390/ijms19010045
24. Bobis O., Moise A.R., Ballesteros I., Reyes E.S., Durán S.S., Sánchez J.S., Cruz-Quintana S., Giampieri F., Battino M., Alvarez-Suarez J.M. *Eucalyptus honey: Quality parameters, chemical composition and health-promoting properties*. In: *Food Chemistry*, [online] 2020, 325, 126870. Disponibil: <https://doi.org/10.1016/j.foodchem.2020.126870>.
25. Proaño A., Coello D., Villacrés-Granda I., Ballesteros I., Debut A., Vizuete K., Brenciani A., Álvarez-Suarez J.M. *The osmotic action of sugar combined with hydrogen peroxide and bee-derived antibacterial peptide Defensin-1 is crucial for the antibiofilm activity of eucalyptus honey*. In: *LWT*, [online] 2021, 136(2), 110379.
Disponibil: <https://doi.org/10.1016/j.lwt.2020.110379>.
26. Mierea de iarba neagra, un produs apicol premiat. Ce beneficii are si de ce este atat de rar [online].
Disponibil: <https://sfatnaturist.ro/mierea-de-iarba-neagra-un-produs-apicol-premiat-ce-beneficii-are-si-de-ce-este-atat-de-rar/>
27. Kędzierska-Matysek, M., Florek, M., Wolanciuk, A. *Concentration of Minerals in Nectar Honeys from Direct Sale and Retail in Poland*. In: *Biol Trace Elem Res*, [online] 2018, 186, pp.579–588. Disponibil: <https://doi.org/10.1007/s12011-018-1315-0>
28. Wang L., Ning F., Liu T., Huang X., Zhang J., Liu Y., Wu D., Luo L. *Physicochemical properties, chemical composition, and antioxidant activity of Dendropanax dentiger honey*. In: *LWT*, [online] 2021, 147, 111693.
Disponibil: <https://doi.org/10.1016/j.lwt.2021.111693>
29. Bodor Z., Kovacs Z., Rashed, M.S., Kókai Z., Dalmadi I., Benedek C. *Sensory and Physicochemical Evaluation of Acacia and Linden Honey Adulterated with Sugar Syrup*. In: *Sensors*, I [online] 2020, 20, pp. 4845. Disponibil: <https://doi.org/10.3390/s20174845>
30. Acacia honey. Disponibil: <https://www.smileyhoney.com/products/acacia-honey>
31. Marghitas L. A., Dezmerean D. S., Pocol C. B., Ilea M., Bobis O., Gergen I. *The Development of a Biochemical Profile of Acacia Honey by Identifying Biochemical Determinants of its Quality*. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, [online] 2010, 38(2), pp. 84 - 90.
Disponibil: <https://doi.org/10.15835/nbha3824780>

32. Lancien T., Odoux J.F., Bretagnolle V. *Diagnostic de prédiction précoce des réserves de miel de tournesol à partir du couvain. 4. Journées de la Recherche Apicole, Institut Technique et Scientifique de l'Apiculture et de la Pollinisation (ITSAP-Institut de l'Abeille)*. Paris, FRA., Paris, France, 2016, pp.65
33. Samborska K., Jedlińska A., Wiktor A. *The Effect of Low-Temperature Spray Drying with Dehumidified Air on Phenolic Compounds, Antioxidant Activity, and Aroma Compounds of Rapeseed Honey Powders*. In: *Food Bioprocess Technol*, [online] 2019, 12, pp. 919 – 932.
Disponibil: <https://doi.org/10.1007/s11947-019-02260-8>
34. Kędzierska-Matysek, M., Florek, M., Wolanciuk, A. *Effect of freezing and room temperatures storage for 18 months on quality of raw rapeseed honey (Brassica napus)*. In: *J Food Sci Technol*, 2016, 53, pp.3349–3355.
Disponibil: <https://doi.org/10.1007/s13197-016-2313-x>
35. Deng J., Liu R., Lu Q., Hao P., Xu A., Zhang J., Tan J. *Biochemical properties, antibacterial and cellular antioxidant activities of buckwheat honey in comparison to manuka honey*. In: *Food Chemistry*, [online] 2018, 252, pp.243-249.
Disponibil: <https://doi.org/10.1016/j.foodchem.2018.01.115>.
36. Escriche I., Sobrino-Gregorio L., Conchado A., Juan-Borrás M. *Volatile profile in the accurate labelling of monofloral honey. The case of lavender and thyme honey*. In: *Food Chemistry*, [online] 2017, 226, pp.61-68.
Disponibil: <https://doi.org/10.1016/j.foodchem.2017.01.051>
37. Petretto G.L., Cossu M., Alamanni M.C. *Phenolic content, antioxidant and physico-chemical properties of Sardinian monofloral honeys*. In: *Int. J. Food Sci. Technol*, 2015, 50, pp. 482 – 491.
38. Utzeri V.J., Ribani A., Schiavo G., Bertolini F., Bovo S., Fontanesi L. *Application of next generation semiconductor based sequencing to detect the botanical composition of monofloral, polyfloral and honeydew honey*. In: *Food Control*, [online] 2018, 86, pp.342-349.
Disponibil: <https://doi.org/10.1016/j.foodcont.2017.11.033>
39. Bell K.L., Vere N., Keller A., Richardson R.T., Gous A., Burgess K.S. *Pollen DNA barcoding: Current applications and future prospects*. *Genome*, 2016, 59, pp. 629 - 640.
40. Bruni I., Galimberti A., Caridi L., Scaccabarozzi D., De Mattia F., Casiraghi M. *A DNA barcoding approach to identify plant species in multiflower honey*. In: *Food Chemistry*, 2015, 170, pp. 308-315.
41. Kant K., Singh B., Meena S.R., Ranjan J.K., Mishra B.K., Solanki R.K., Kumar M. *Relative abundances and foraging behaviour of honey bee species on minor seed spice crops*. In: *International J. Seed Spices*, 2013, 3(2), pp. 51 - 54.
42. Gruber K., Schöning C., Otte M., Kinuthia W., Hasselmann M. *Distinct subspecies or phenotypic plasticity? Genetic and morphological differentiation of mountain honey bees in East Africa*. In: *Ecology and Evolution* [online] 2013, 3(10), pp. 3204 – 3218. Disponibil: <https://doi.org/10.1002/ece3.711>
43. Allos Organic Mountain Honey [online].
Disponibil: https://www.violey.com/en/allos-organic-mount-ain-honey_p_10122.html
44. Ghid de bune practici in Apicultura, Editat și tipărit la EDITURA LVS CREPUSCUL Ploiești, Prahova, 2011.
45. Cianciosi D., Forbes-Hernández T.Y., Afrin S., Gasparrini M., Reboledo-Rodriguez P., Manna P.P., Zhang J., Bravo Lamas L., Martínez Flórez S., Agudo Toyos P., Quiles J.L., Giampieri F., Battino M. *Phenolic Compounds in Honey and Their Associated Health Benefits: A Review*. In: *Molecules*, [online] 2018, 23(9), pp.2322.
Disponibil: <https://doi.org/10.3390/molecules23092322>
46. Alvarez-Suarez J.M., Giampieri F., Cordero D., Gasparrini M., Forbes-Hernandez T.Y., Mazzoni L. Afrin S., Beltran-Ayala P., Gonzales-Paramas A.M., Santos-Buelga C. *Activation of AMPK/Nrf2 signaling by Manuka honey protects human dermal fibroblasts against oxidative damage by improving antioxidant response and mitochondrial function promoting wound healing*. In: *J. Funct. Foods*, 2016, 25, pp.38–49.
47. Miere de mana [online].
Disponibil: <http://www.romaniahoney.ro/miere/miere-de-mana.html?mode=list>
48. Battino M., Forbes-Hernández T.Y., Gasparrini M., Afrin S., Cianciosi D., Zhang J., Manna P.P., Rodríguez, P.R., Lopez, A.V., Quiles J.L., Mezzetti, B., Bompadre, S., Xiao, J., Giampieri F. *Relevance of functional foods in the Mediterranean diet: the role of olive oil, berries and honey in the prevention of cancer and cardiovascular diseases*. In: *Food Science and Nutrition*, [online] 2019, 59(6), pp.893-920,
Disponibil: [10.1080/10408398.2018.1526165](https://doi.org/10.1080/10408398.2018.1526165)
49. Boistean A., Chirsanova A., Capcanari T., Siminiuc R. *Evaluation of the color as a characterization parameter of honey from Tunisia, Romania and Moldova*. In: *Biotehnologii moderne - soluții pentru provocările lumii contemporane*. 20-21 mai 2021, Chișinău. Chișinău, Republica Moldova: Tipografia "Artpoligraf", 2021, p. 43.
50. Candela M.G. *Bees and Covid-19: A Necessary Legal Regulation*. *Derecho Anim*. [online] 2020, 11 (4), pp.9–19.
Disponibil: <https://doi.org/10.5565/rev/da.558>

51. Chirsanova A., Reșitca V., Boiștean A. *Implementation of quality management systems in modern university relations – business*. In: *Modern Technologies in the Food Industry*. In: Chișinău. Chișinău, Republica Moldova: 2012, 1, pp. 274 - 277.
52. Fedoriak M., Kulmanov O., Zhuk A., Shkrobanets O., Tymchuk K., Moskalyk G., Olendr T., Yamelynets T., Angelstam P. *Stakeholders Views on Sustaining Honey Bee Health and Beekeeping: The Roles of Ecological and Social System Drivers*. In: *Landscape Ecology*, [online] 2021, 36, pp. 763 - 783.
Disponibil: <https://doi.org/10.1007/s10980-020-01169-4>.
53. Eremia N., Scripnic E., Modvala S., Chiriac A. *Influence of temperature on nectar collection and storage in the hive during honey harvest*. University of Agricultural Sciences and Veterinary Medicine Iasi. 2017, pp. 40 - 44.
54. Republica Moldova, HOTĂRÎRE GUVERN Nr. HG661/2007 din 13.06.2007 cu privire la aprobarea Reglementării Tehnice “Miere naturală”. Publicat : 29.06.2007 în Monitorul Oficial Nr. 90 - 93 art. 707.
55. Jurnalul Oficial al Uniunii Europene, 13/vol. 33, pag. 107. Jurnalul oficial al Comunităților Europene, l 10/47, 12.1.2002, directiva 2001/110/ce a consiliului din 20 decembrie 2001
56. Kowalski S., Makarewicz M. *Functional properties of honey supplemented with bee bread and propolis*. In: *Natural Product Research*, 2017, 31(22), pp.2680-2683.
Disponibil: 10.1080/14786419.2017.1286481
57. Zeng X., Bai W., Zhu X., Dong H. *Browning intensity and taste change analysis of chicken protein-sugar Maillard reaction system with antioxidants and different drying processes*. In: *J Food Process Preserv*, 2017, 41(2), e13117.
58. Nagai T., Kai N., Tanoue Y. *Chemical properties of commercially available honey species and the functional properties of caramelization and Maillard reaction products derived from these honey species*. In: *J Food Sci Technol*, [online] 2018, 55, pp. 586 – 597.
Disponibil: <https://doi.org/10.1007/s13197-017-2968-y>
59. Nagai T., Tamai M., Sato M., Tanoue Y., Kai N., Suzuki N. *Characterization and functional properties of new everbearing strawberry (Fragaria × ananassa Duch.) cultivar, ‘Summertara’ berries*. In: *Func Food Health Dis*, 204. 4(1), pp. 1 – 22.
60. Castelló E. *Storytelling in Applications for the EU Quality Schemes for Agricultural Products and Foodstuffs: Place, Origin and Tradition*. In: *J. Agric. Res.* 2020, 18 (2), pp. 1 – 12.
Disponibil: <https://doi.org/10.5424/sjar/2020182-16192>.
61. Bucekova L., Jardekova V. Juricova V. Bugarova Marco G.D., Gismondi A. *Antibacterial activity of different blossom honeys: New findings*. In: *Molecules*, 2019, 24 (8), pp. 1573.
Disponibil: 10.3390/molecules24081573
62. Hussain T., Tan B., Yin Y., Blachier F., Tossou M.C., Rahu N. *Oxidative stress and inflammation: What polyphenols can do for us?*. In: *Oxid. Med. Cell. Longev*, 2016, 7432797
63. Banerjee S., Ghosh J., Sil P.C. *Drug metabolism and oxidative stress: Cellular mechanism and new therapeutic insights*. In: *Biochem. Anal. Biochem*, 2016, 5, pp. 255.
64. Therapeutic Properties of Honey
Disponibil: <https://www.intechopen.com/books/honey-analysis-new-advances-and-challenges/therapeutic-properties-of-honey>
65. Chirsanova A., Calcatiniuc D. *The impact of food waste and ways to minimize IT*. In: *Journal of Social Sciences*. 2021, nr. 4(1), pp. 128-139.
66. Feldhaar, H., Otti, O. *Pollutants and Their Interaction with Diseases of Social Hymenoptera*. In: *Insects*, [online] 2020, 11(3), pp. 153.
Disponibil: <https://doi.org/10.3390/insects11030153>
67. Czerwinski M.A., Sadd B. *Detrimental interactions of neonicotinoid pesticide exposure and bumblebee immunity*. In: *J. Exp. Zool. Part A-Ecol. Integr. Physiol*, 2017, 327, pp. 273 – 283.
68. O’Neal S.T., Anderson T.D., Wu-Smart J.Y. *Interactions between pesticides and pathogen susceptibility in honey bees*. In: *Curr. Opin. Insect Sci.* 2018, 26, pp. 57 – 62
69. Branchiccela B., Castelli L., Corona M., Diaz-Cetti S., Invernizzi C., de la Escalera G.M., Mendoza Y., Santos E., Silva C., Zunino P. *Impact of nutritional stress on the honeybee colony health*. In: *Sci. Rep.*, 2019, 9, 10156
70. Kaluza B.F., Wallace H.M., Heard T.A., Minden V., Klein A., Leonhardt S.D. *Social bees are fitter in more biodiverse environments*. In: *Sci. Rep.*, 2018, 8, 12353.
71. United States Food and Drug Administration. 2011. Public meeting on economically motivated adulteration [online]. Disponibil: <http://www.fda.gov/NewsEvents/MeetingsConferencesWorkshops/ucm163619.htm>
72. Everstine K., J., Spink and S. Kennedy. *Economically motivated adulteration (EMA) of food: common characteristics of EMA incidents*. In: *J. Food Prot.* 2013, 76, pp.723–735.

73. Florida Department of State. 2010. Florida Administrative Weekly & Florida Administrative Code [online]. Disponibil: <https://www.flrules.org/gateway/ruleno.asp?id=5K-4.027>.
74. Wisconsin Legislative Documents. 2011. Rulemaking notices [online]. Disponibil: https://docs.legis.wisconsin.gov/code/register/2011/666b/rulemaking_notices/1/1
75. Europa. 2010. Summaries of EU legislation: honey [online]. Disponibil: http://europa.eu/legislation_summaries/consumers/product_labelling_and_packaging/l21124a_en.htm
76. Chirsanova A., Reșitca V. *Factori de bază ce influențează politicile alimentare și nutriționale la nivel internațional. Universitatea Tehnică a Moldovei* [online]. Meridian ingineresc. 2013, 3, p. 86 - 90. Disponibil: https://utm.md/meridian/2013/0_Meridian_Ingineresc_nr3_2013.pdf
77. Calcatiniuc D., Grițco C., Chirsanova A., Boiștean A. *The impact of organic food on the moldavan market*. In: *Microbial Biotechnology*. Ediția 4, Chișinău. Chișinău, Republica Moldova: Institutul de Microbiologie și Biotehnologie, [online] 2018, 4, p. 76. Disponibil: http://www.imb.asm.md/uploads/File/Biotechnolog_Conference.pdf
78. Chirsanova A., Capcanari T., Boistean A., Covaliov E., Resitca V., Sturza R. *Behavior of Consumers in the Republic of Moldova Related to the Consumption of Trans Fat*. In: *International Journal of Food Science, Nutrition and Dietetics (IJFS) Int J Food Sci Nutr Diet.* [online] 2020, 9(8), pp. 493 - 498. Disponibil: <https://scidoc.org/articlepdfs/IJFS/IJFS-2326-3350-09-801.pdf>
79. Chirsanova A., Reșitca V., Siminiuc R. et al. *Produce alimentare inovative. Univ. Tehn. a Moldovei, Fac. Tehnologia Alimentelor, Dep. Alimentație și Nutriție*. Chișinău: Tehnica UTM, 2021. 455 p.