

About failure in multi service networks

**D. N. Tsurcanu, P. P. Nistiriuk, S. M. Andronic, A. S. Alexei,
S. I. Finciuk and P. V. Nistiriuk**

<https://ieeexplore.ieee.org/abstract/document/6068965>

Abstract

Based on a framework of semi-Markov processes and a method of phase consolidation the model of failure-free multi service networks (MSN) was designed.

References

1. O. Lupan, N. Ababii, A. Kumar-Mishra, M. Teja Bodduluri, N. Magariu, A. Vahl, et al., " Heterostructure-based devices with enhanced humidity stability for H₂ gas sensing applications in breath tests and portable batteries ", Sensors and Actuators A: Physical, vol. 329, 2021.

2. O. Lupan, V. Postica, M. Hoppe, N. Wolff, O. Polonskyi, T. Pauporté, et al., " PdO/PdO₂ functionalized ZnO: Pd films for lower operating temperature H₂ gas sensing ", Nanoscale, vol. 10, pp. 14107-14127, 2018.

3. C. Lupan, R. Khaledialidusti, A. K. M. Mishra, V. Postica, M.I. Terasa, N. Magariu, et al., "Pd-Functionalized ZnO:Eu Columnar Films for Room Temperature Hydrogen Gas Sensing: A Combined Experimental and Computational Approach", ACS Applied Materials & Interfaces, pp. 24951-24964, 2020.

4. N. Ababii, M. Hoppe, S. Shree, A. Vahl, M. Ulfa, T. Pauporté, et al., " Effect of noble metal functionalization and film thickness on sensing properties of sprayed TiO₂ ultra-thin films ", Sensors and Actuators A: Physical, vol. 293, pp. 242-258, 2019.

21st International Crimean Conference "Microwave & Telecommunication Technology"

12-16 Sept. 2011, Sevastopol, Ukraine

Accession Number: 12355693, pag. 259-360

5.A.V. Singhal, H. Charaya and I. Lahiri, "Noble Metal Decorated Graphene-Based Gas Sensors and Their Fabrication: A Review", *Crit. Rev. Solid State Mater. Sci*, vol. 42, pp. 499-526, 2017.

6.A.M. Azad, S.A. Akbar, S.G. Mhaisalkar, L.D. Birkefeld and K.S. Goto, "Solid-State Gas Sensors: A Review", *J. Electrochem. Soc*, vol. 139, pp. 3690-3704, 1992.

7.O. Lupan, V. Cretu, V. Postica, O. Polonskyi, N. Ababii, F. Schütt, et al., " Non-planar nanoscale p-p heterojunctions formation in $Zn_xCu_{1-x}O$ nanocrystals by mixed phases for enhanced sensors ", *Sensors Actuators B Chem*, vol. 230, pp. 832-843, 2016.

8.M. Hoppe, N. Ababii, V. Postica, O. Lupan, O. Polonskyi, F. Schütt, et al., " $(CuO-Cu_2O)/ZnO:Al$ heterojunctions for volatile organic compound detection ", *Sensors Actuators B Chem*, vol. 255, pp. 1362-1375, 2018.

Show in Context CrossRef Google Scholar

9.B. Bourrounet, T. Talou and A. Gaset, "Application of a multi-gas-sensor device in the meat industry for boar-taint detection", *Sensors Actuators B Chem*, vol. 27, pp. 250-254, 1995.

Show in Context CrossRef Google Scholar

10.O. Lupan, V. Postica, R. Adelung, F. Labat, I. Ciofini, U. Schürmann, et al., "Functionalized Pd/ZnO Nanowires for Nanosensors", *Phys. Status Solidi - Rapid Res. Lett*, vol. 12, pp. 1700321, 2018.

Show in Context CrossRef Google Scholar

11.V. Postica, F. Schütt, R. Adelung and O. Lupan, "Schottky Diode Based on a Single Carbon-Nanotube-ZnO Hybrid Tetrapod for Selective Sensing Applications", *Adv. Mater. Interfaces*, vol. 4, pp. 1700507, 2017.

Show in Context CrossRef Google Scholar

12.O. Lupan, V. Postica, N. Ababii, T. Reimer, S. Shree, M. Hoppe, et al., " Ultra-thin TiO_2 films by atomic layer deposition and surface

21st International Crimean Conference "Microwave & Telecommunication Technology"

12-16 Sept. 2011, Sevastopol, Ukraine

Accession Number: 12355693, pag. 259-360

functionalization with Au nanodots for sensing applications ", Mater. Sci. Semicond. Process, vol. 87, pp. 44-53, 2018.

Show in Context CrossRef Google Scholar

13.O. Lupan, N. Magariu, R. Khaledialidusti, A. Kumar Mishra, S. Hansen, H. Krüger, et al., "Comparison of Thermal Annealing versus Hydrothermal Treatment Effects on the Detection Performances of ZnO Nanowires", ACS Appl. Mater. Interfaces, vol. 13, no. 8, pp. 10537-10552, 2021.

Show in Context CrossRef Google Scholar

14.O. Lupan and T. Pauporté, "Hydrothermal treatment for the marked structural and optical quality improvement of ZnO nanowire arrays deposited on lightweight flexible substrates", J. Crystal Growth, vol. 312, pp. 2454-2458, 2010.