

Al₂O₃/ZnO composite-based sensors for battery safety applications: An experimental and theoretical investigation

David Santos-Carballal, Oleg Lupan, Nicolae Magariu, Nicolai Ababii, Helge Krüger, Mani Teja Bodduluri, Nora H. de Leeuw, Sandra Hansen, Rainer Adelung

<https://doi.org/10.1016/j.nanoen.2023.108301>

Abstract

Lithium-ion batteries are vital in one of the key nanotechnologies required for the transition to a carbon-free society. As such, they are under constant investigation to improve their performance in terms of energy and power densities. At the same time, safety monitoring is crucial, as defects in the battery cell can lead to serious safety risks such as fires and explosions as a result of the enormous heat generated in the electrolyte, causing the release of toxic and flammable gases in the so-called thermal runaway. Therefore, early and rapid detection of the gases that form before thermal runaway is of particular interest. To this end, solid-state sensors based on new heterostructured materials have gained interest owing to their high stability and versatility when used in the harsh battery environment. In this work, heterostructures based on semiconductor oxides are employed as sensors for typical components of battery electrolytes and their decomposition products. The sensors showed a significant response to vapors produced by battery solvents or degassing products, making them perfect candidates for the development of successful new prototypes for safety monitoring. Here, we have used a simple and versatile method to fabricate the Al₂O₃/ZnO heterostructure, consisting of atomic layer deposition (ALD) and thermal annealing steps. These Al₂O₃/ZnO heterostructures have shown a response to the vapours of 1,3-dioxolane (DOL, C₃H₆O₂), 1,2-dimethoxyethane (DME, C₄H₁₀O₂), LiPF₆, ethylene carbonate (EC) and dimethyl carbonate (DMC), which are typically used as components of the electrolytes in LIBs. The sensors showed a significant response to vapors produced by battery solvents or degassing products, significantly increasing the chances of developing new successful prototypes for safety monitoring. Density functional theory (DFT) calculations were employed to



systematically compare the surface reactivity of the α - $\text{Al}_2\text{O}_3(0001)$ and the $\text{ZnO}(1010)$ facets, as well as the $\text{Al}_2\text{O}_3/\text{ZnO}(1010)$ interface, towards $\text{C}_3\text{H}_6\text{O}_2$, $\text{C}_4\text{H}_{10}\text{O}_2$, nitrogen dioxide (NO_2) and phosphorous pentafluoride (PF_5), in addition to H_2O to assess the impact of relative humidity on the performance of the gas detector. The scanning tunnelling microscopy (STM) images and molecular binding energies compare well with our experiments. The energies of molecular adsorption at the heterostructure suggest that humidity will not affect the detection of the volatile organic compounds. The results presented here show that the potential to detect vapors of the components used in the electrolytes of LIBs, combined with the size control provided by the synthesis method, makes these heterostructures extremely attractive in devices to monitor battery safety.

Keywords: zinc oxide, heterojunctions, battery safety, gas sensing

References

1. M. Armand, J.-M. Tarascon, Building better batteries, *Nature* 451 (2008) 652–657, <https://doi.org/10.1038/451652a>.
2. Manthiram, An outlook on lithium ion battery technology, *ACS Cent. Sci.* 3 (2017) 1063–1069, <https://doi.org/10.1021/acscentsci.7b00288>.
3. J.B. Goodenough, K.-S. Park, The Li-Ion rechargeable battery: a perspective, *J. Am. Chem. Soc.* 135 (2013) 1167–1176, <https://doi.org/10.1021/ja3091438>.
4. B. Sund´en, Battery technologies, in: B. Sund´en (Ed.), *Hydrogen, Batteries and Fuel Cells*, Elsevier, 2019, pp. 57–79, <https://doi.org/10.1016/B978-0-12-816950-6.00004-X>
5. Y. Chen, Y. Kang, Y. Zhao, L. Wang, J. Liu, Y. Li, Z. Liang, X. He, X. Li, N. Tavajohi, B. Li, A review of lithium-ion battery safety concerns: The issues, strategies, and testing standards, *J. Energy Chem.* 59 (2021) 83–99, <https://doi.org/10.1016/j.jechem.2020.10.017>.
6. G.E. Blomgren, The development and future of lithium ion batteries, *J. Electrochem. Soc.* 164 (2017) A5019–A5025, <https://doi.org/10.1149/2.0251701jes>.
7. The journey of an electrifying (r)evolution, *Nat. Commun.* 12 (2021) 4153. <https://doi.org/10.1038/s41467-021-24410-3>.
8. Technologies of energy storage systems, in: F.-B. Wu, B. Yang, J.-L. Ye, (Eds.), *Grid-scale Energy Storage Systems and Applications*, Elsevier, 2019, pp. 17–56. <https://doi.org/10.1016/B978-0-12-815292-8.00002-2>.
9. P. Kurzweil, Post-lithium-ion battery chemistries for hybrid electric vehicles and battery electric vehicles, in: B. Scrosati, J. Garche, W. Tillmetz (Eds.), *Advances in Battery Technologies for Electric Vehicles*, Elsevier, 2015, pp. 127–172, <https://doi.org/10.1016/B978-1-78242-377-5.00007-8>.
10. H.-J. Peng, J.-Q. Huang, X.-B. Cheng, Q. Zhang, Review on high-loading and highenergy lithium-sulfur batteries, *Adv. Energy Mater.* 7 (2017) 1700260, <https://doi.org/10.1002/aenm.201700260>.
11. D.H. Doughty, E.P. Roth, A general discussion of Li ion battery safety, *Electrochem. Soc. Interface* 21 (2012) 37–44, <https://doi.org/10.1149/2.F03122if>.
12. Z. Wang, L. Zhu, J. Liu, J. Wang, W. Yan, Gas sensing technology for the detection and early warning of battery thermal runaway: a review, *Energy Fuels* 36 (2022) 6038–6057, <https://doi.org/10.1021/acs.energyfuels.2c01121>.
13. S. Koch, K. Birke, R. Kuhn, Fast thermal runaway detection for lithium-ion cells in large scale traction batteries, *Batteries* 4 (2018) 16, <https://doi.org/10.3390/batteries4020016>.
14. C. Essl, L. Seifert, M. Rabe, A. Fuchs, Early detection of failing automotive batteries using gas sensors, *Batteries* 7 (2021) 25, <https://doi.org/10.3390/batteries7020025>.
15. O. Lupan, N. Ababii, A.K. Mishra, M.T. Bodduluri, N. Magariu, A. Vahl, H. Krüger, B. Wagner, F. Faupel, R. Adelung, N.H. de Leeuw, S. Hansen, Heterostructurebased devices with enhanced humidity

stability for H₂ gas sensing applications in breath tests and portable batteries, *Sens. Actuators A Phys.* 329 (2021), 112804, <https://doi.org/10.1016/j.sna.2021.112804>.

16. O. Lupan, D. Santos-Carballal, N. Ababii, N. Magariu, S. Hansen, A. Vahl, L. Zimoch, M. Hoppe, T. Pauport'e, V. Galstyan, V. Sontea, L. Chow, F. Faupel, R. Adelung, N.H. de Leeuw, E. Comini, TiO₂/Cu₂O/CuO multi-nanolayers as sensors for H₂ and volatile organic compounds: an experimental and theoretical investigation, *ACS Appl. Mater. Interfaces* 13 (2021) 32363–32380, <https://doi.org/10.1021/acsami.1c04379>.

17. O.A. Dicks, A.L. Shluger, Theoretical modeling of charge trapping in crystalline and amorphous Al₂O₃, *J. Phys. Condens. Matter* 29 (2017), 314005, <https://doi.org/10.1088/1361-648X/aa7767>.

18. S. Davis, G. Guti'erez, Structural, elastic, vibrational and electronic properties of amorphous Al₂O₃ from ab initio calculations, *J. Phys. Condens. Matter* 23 (2011), 495401, <https://doi.org/10.1088/0953-8984/23/49/495401>.

19. R. Liz'arraga, E. Holmstrom, S.C. Parker, C. Arrouvel, Structural characterization of amorphous alumina and its polymorphs from first-principles XPS and NMR calculations, *Phys. Rev. B.* 83 (2011), 094201, <https://doi.org/10.1103/PhysRevB.83.094201>.

20. M. Liu, Y. Jin, C. Leygraf, J. Pan, A DFT-study of Cl ingress into α -Al₂O₃ (0001) and Al(111) and its possible influence on localized corrosion of Al, *J. Electrochem. Soc.* 166 (2019) C3124–C3130, <https://doi.org/10.1149/2.0161911jes>

21. B. Ramogayana, D. Santos-Carballal, K.P. Maenetja, N.H. de Leeuw, P.E. Ngoepe, Density functional theory study of ethylene carbonate adsorption on the (0001) surface of aluminum oxide α -Al₂O₃, *ACS Omega* 6 (2021) 29577–29587, <https://doi.org/10.1021/acsomega.1c03771>.

22. N. Sharifi, C. Falamaki, M.G. Ahangari, DFT study of Au adsorption on pure and Pt-decorated γ -alumina (110) surface, *Appl. Surf. Sci.* 416 (2017) 390–396, <https://doi.org/10.1016/j.apsusc.2017.04.203>.

23. P.W. Tasker, The stability of ionic crystal surfaces, *J. Phys. C. Solid State Phys.* 12 (1979) 4977–4984, <https://doi.org/10.1088/0022-3719/12/22/036>.

24. V. Postica, A. Vahl, D. Santos-Carballal, T. Dankwort, L. Kienle, M. Hoppe, A. Cadi-Essadek, N.H. de Leeuw, M.-I. Terasa, R. Adelung, F. Faupel, O. Lupan, Tuning ZnO sensors reactivity toward volatile organic compounds via Ag doping D. Santos-Carballal et al. *Nano Energy* 109 (2023) 108301 11 and nanoparticle functionalization, *ACS Appl. Mater. Interfaces* 11 (2019) 31452–31466, <https://doi.org/10.1021/acsami.9b07275>.

25. A. Vahl, O. Lupan, D. Santos-Carballal, V. Postica, S. Hansen, H. Cavers, N. Wolff, M.-I. Terasa, M. Hoppe, A. Cadi-Essadek, T. Dankwort, L. Kienle, N.H. de Leeuw, R. Adelung, F. Faupel, Surface functionalization of ZnO:Ag columnar thin films with AgAu and AgPt bimetallic alloy nanoparticles as an efficient pathway for highly sensitive gas discrimination and early hazard detection in batteries, *J. Mater. Chem. A.* 8 (2020) 16246–16264, <https://doi.org/10.1039/D0TA03224G>.

26. V. Postica, A. Vahl, J. Strobel, D. Santos-Carballal, O. Lupan, A. Cadi-Essadek, N. H. De Leeuw, F. Schütt, O. Polonskyi, T. Strunskus, M. Baum, L. Kienle, R. Adelung, F. Faupel, Tuning doping and surface functionalization of columnar oxide films for volatile organic compounds sensing: experiments and theory, *J. Mater. Chem. A* 6 (2018) 23669–23682, <https://doi.org/10.1039/C8TA08985J>.

27. O. Lupan, L. Chow, S. Shishiyanu, E. Monaico, T. Shishiyanu, V. S. ontea, B. Roldan Cuenya, A. Naitabdi, S. Park, A. Schulte, Nanostructured zinc oxide films synthesized by successive chemical solution deposition for gas sensor applications, *Mater. Res. Bull.* 44 (2009) 63–69, <https://doi.org/10.1016/j.materresbull.2008.04.006>.

28. O. Lupan, S. Shishiyanu, L. Chow, T. Shishiyanu, Nanostructured zinc oxide gas sensors by successive ionic layer adsorption and reaction method and rapid photothermal processing, *Thin Solid Films* 516 (2008) 3338–3345, <https://doi.org/10.1016/j.tsf.2007.10.104>.

29. G. Kresse, J. Hafner, Ab initio molecular dynamics for liquid metals, *Phys. Rev. B* 47 (1993) 558–561, <https://doi.org/10.1103/PhysRevB.47.558>.

30. G. Kresse, J. Hafner, Ab initio molecular-dynamics simulation of the liquidmetal–amorphous-semiconductor transition in germanium, *Phys. Rev. B.* 49 (1994) 14251–14269, <https://doi.org/10.1103/PhysRevB.49.14251>.

31. G. Kresse, J. Furthmüller, Efficient iterative schemes for ab initio total-energy calculations using a plane-wave basis set, *Phys. Rev. B.* 54 (1996) 11169–11186, <https://doi.org/10.1103/PhysRevB.54.11169>.

32. G. Kresse, J. Furthmüller, Efficiency of ab-initio total energy calculations for metals and semiconductors using a plane-wave basis set, *Comput. Mater. Sci.* 6 (1996) 15–50, [https://doi.org/10.1016/0927-0256\(96\)00008-0](https://doi.org/10.1016/0927-0256(96)00008-0).
33. J.P. Perdew, K. Burke, M. Ernzerhof, Generalized gradient approximation made simple [*Phys. Rev. Lett.* 77, 3865 (1996)], 1396–1396, *Phys. Rev. Lett.* 78 (1997), <https://doi.org/10.1103/PhysRevLett.78.1396>.
34. J.P. Perdew, K. Burke, M. Ernzerhof, Generalized gradient approximation made simple, *Phys. Rev. Lett.* 77 (1996) 3865–3868, <https://doi.org/10.1103/PhysRevLett.77.3865>.
35. S. Grimme, J. Antony, S. Ehrlich, H. Krieg, A consistent and accurate ab initio parametrization of density functional dispersion correction (DFT-D) for the 94 elements H-Pu, *J. Chem. Phys.* 132 (2010), 154104, <https://doi.org/10.1063/1.3382344>.
36. S. Grimme, S. Ehrlich, L. Goerigk, Effect of the damping function in dispersion corrected density functional theory, *J. Comput. Chem.* 32 (2011) 1456–1465, <https://doi.org/10.1002/jcc.21759>.
37. D. Santos-Carballal, A. Cadi-Essadek, N.H. de Leeuw, Catalytic conversion of CO and H₂ into hydrocarbons on the cobalt Co(111) surface: implications for the fischer–tropsch process, *J. Phys. Chem. C.* 125 (2021) 11891–11903, <https://doi.org/10.1021/acs.jpcc.1c00254>.
38. A. Cadi-Essadek, A. Roldan, D. Santos-Carballal, P.E. Ngoepe, M. Claeys, N.H. de Leeuw, DFT+U study of the electronic, magnetic and mechanical properties of Co, CoO, and Co₃O₄, *South Afr. J. Chem.* 74 (2021) 8–16, <https://doi.org/10.17159/0379-4350/2021/v74a3>.
39. L.M. Botha, D. Santos-Carballal, U. Terranova, M.G. Quesne, M.J. Ungerer, C.G.C. E. van Sittert, N.H. de Leeuw, Mixing thermodynamics and electronic structure of the Pt_{1-x}Ni_x (0 ≤ x ≤ 1) bimetallic alloy, *RSC Adv.* 9 (2019) 16948–16954, <https://doi.org/10.1039/C9RA02320H>.
40. B. Ramogayana, D. Santos-Carballal, P.A. Aparicio, M.G. Quesne, K.P. Maenetja, P.E. Ngoepe, N.H. de Leeuw, Ethylene carbonate adsorption on the major surfaces of lithium manganese oxide Li_{1-x}Mn₂O₄ spinel (0.000 < x < 0.375): a DFT+ U– D3 study, *Phys. Chem. Chem. Phys.* 22 (2020) 6763–6771, <https://doi.org/10.1039/C9CP05658K>.
41. L. Reguera, N.L. Lopez, J. Rodríguez-Hernandez, M. Gonzalez, C.E. HernandezTamargo, D. Santos-Carballal, N.H. de Leeuw, E. Reguera, Synthesis, crystal structures, and properties of zeolite-like T₃(H₃O)₂M(CN)₆·uH₂O (T = Co, Zn; M = Ru, Os), *Eur. J. Inorg. Chem.* 2017 (2017) 2980–2989, <https://doi.org/10.1002/ejic.201700278>.
42. P.E. Blochl, Projector augmented-wave method, *Phys. Rev. B.* 50 (1994) 17953–17979, <https://doi.org/10.1103/PhysRevB.50.17953>.
43. G. Kresse, D. Joubert, From ultrasoft pseudopotentials to the projector augmented-wave method, *Phys. Rev. B.* 59 (1999) 1758–1775, <https://doi.org/10.1103/PhysRevB.59.1758>.
44. D. Sheppard, R. Terrell, G. Henkelman, Optimization methods for finding minimum energy paths, *J. Chem. Phys.* 128 (2008), 134106, <https://doi.org/10.1063/1.2841941>.
45. E. Bitzek, P. Koskinen, F. Gähler, M. Moseler, P. Gumbsch, Structural relaxation made simple, *Phys. Rev. Lett.* 97 (2006), 170201, <https://doi.org/10.1103/PhysRevLett.97.170201>.
46. S.L. Dudarev, G.A. Botton, S.Y. Savrasov, C.J. Humphreys, A.P. Sutton, Electronenergy-loss spectra and the structural stability of nickel oxide: an LSDA+U study, *Phys. Rev. B.* 57 (1998) 1505–1509, <https://doi.org/10.1103/PhysRevB.57.1505>.
47. [47] V.I. Anisimov, M.A. Korotin, J. Zaanen, O.K. Andersen, Spin bags, polarons, and impurity potentials in La_{2-x}Sr_xCuO₄ from first principles, *Phys. Rev. Lett.* 68 (1992) 345–348, <https://doi.org/10.1103/PhysRevLett.68.345>.
48. [48] H.J. Monkhorst, J.D. Pack, Special points for Brillouin-zone integrations, *Phys. Rev. B* 13 (1976) 5188–5192, <https://doi.org/10.1103/PhysRevB.13.5188>.
49. O. Lupan, D. Santos-Carballal, N. Magariu, A.K. Mishra, N. Ababii, H. Krüger, N. Wolff, A. Vahl, M.T. Bodduluri, N. Kohlmann, L. Kienle, R. Adelung, N.H. de Leeuw, S. Hansen, Al₂O₃/ZnO heterostructure-based sensors for volatile organic compounds in safety applications, *ACS Appl. Mater. Interfaces* 14 (2022) 29331–29344, <https://doi.org/10.1021/acsami.2c03704>.
50. K.M. Ho, C.L. Fu, B.N. Harmon, W. Weber, D.R. Hamann, Vibrational frequencies and structural properties of transition metals via total-energy calculations, *Phys. Rev. Lett.* 49 (1982) 673–676, <https://doi.org/10.1103/PhysRevLett.49.673>.


51. C.L. Fu, K.M. Ho, First-principles calculation of the equilibrium ground-state properties of transition metals: applications to Nb and Mo, *Phys. Rev. B.* 28 (1983) 5480–5486, <https://doi.org/10.1103/PhysRevB.28.5480>.
52. M.S. Methfessel, M.H. Boon, F.M. Mueller, Analytic-quadratic method of calculating the density of states, *J. Phys. C Solid State Phys.* 16 (1983) L949–L954, <https://doi.org/10.1088/0022-3719/16/27/002>.
53. G. Lehmann, M. Taut, On the numerical calculation of the density of states and related properties, *Phys. Status Solidi* 54 (1972) 469–477, <https://doi.org/10.1002/pssb.2220540211>.
54. O. Jepsen, O.K. Anderson, The electronic structure of h.c.p. Ytterbium, *Solid State Commun.* 9 (1971) 1763–1767, [https://doi.org/10.1016/0038-1098\(71\)90313-9](https://doi.org/10.1016/0038-1098(71)90313-9).
55. G. Gilat, Analysis of methods for calculating spectral properties in solids, *J. Comput. Phys.* 10 (1972) 432–465, [https://doi.org/10.1016/0021-9991\(72\)90046-0](https://doi.org/10.1016/0021-9991(72)90046-0).
56. P.E. Blochl, O. Jepsen, O.K. Andersen, Improved tetrahedron method for Brillouin-zone integrations, *Phys. Rev. B.* 49 (1994) 16223–16233, <https://doi.org/10.1103/PhysRevB.49.16223>.
57. I. Rutkowska, J. Marchewka, P. Jelen, M. Odziomek, M. Korpyś, J. Paczkowska, M. Sitarz, Chemical and structural characterization of amorphous and crystalline alumina obtained by alternative sol–gel preparation routes, *Materials* 14 (2021) 1761, <https://doi.org/10.3390/ma14071761>.
58. F. Decremps, J. Pellicer-Porres, A.M. Saitta, J.-C. Chervin, A. Polian, Highpressure Raman spectroscopy study of wurtzite ZnO, *Phys. Rev. B.* 65 (2002), 092101, <https://doi.org/10.1103/PhysRevB.65.092101>.
59. M. Hoppe, O. Lupan, V. Postica, N. Wolff, V. Duppel, L. Kienle, I. Tiginyanu, R. Adelung, ZnAl₂O₄-functionalized zinc oxide microstructures for highly selective hydrogen gas sensing applications, *Phys. Status Solidi* 215 (2018) 1700772, <https://doi.org/10.1002/pssa.201700772>.
60. R.S. Zeferino, M.B. Flores, U. Pal, Photoluminescence and Raman scattering in Ag-doped ZnO nanoparticles, *J. Appl. Phys.* 109 (2011), 014308, <https://doi.org/10.1063/1.3530631>.
61. R. Cusco, E. Alarcon-Lladó, J. Ibáñez, L. Artús, J. Jiménez, B. Wang, M. J. Callahan, Temperature dependence of Raman scattering in ZnO, *Phys. Rev. B* 75 (2007), 165202, <https://doi.org/10.1103/PhysRevB.75.165202>.
62. V. Postica, I. Holken, V. Schneider, V. Kaidas, O. Polonskyi, V. Cretu, I. Tiginyanu, F. Faupel, R. Adelung, O. Lupan, Multifunctional device based on ZnO:Fe nanostructured films with enhanced UV and ultra-fast ethanol vapour sensing, *Mater. Sci. Semicond. Process.* 49 (2016) 20–33, <https://doi.org/10.1016/j.mssp.2016.03.024>.
63. P.G. Li, M. Lei, W.H. Tang, Raman and photoluminescence properties of α -Al₂O₃ microcones with hierarchical and repetitive superstructure, *Mater. Lett.* 64 (2010) 161–163, <https://doi.org/10.1016/j.matlet.2009.10.032>.
64. D. Zappa, V. Galstyan, N. Kaur, H.M.M. Munasinghe Arachchige, O. Sisman, E. Comini, “Metal oxide -based heterostructures for gas sensors”- a review, *Anal. Chim. Acta* 1039 (2018) 1–23, <https://doi.org/10.1016/j.aca.2018.09.020>.
65. M. Mathew, P.V. Shinde, R. Samal, C.S. Rout, A review on mechanisms and recent developments in p-n heterojunctions of 2D materials for gas sensing applications, *J. Mater. Sci.* 56 (2021) 9575–9604, <https://doi.org/10.1007/s10853-021-05884-4>.
66. C. Marichy, N. Pinna, Atomic layer deposition to materials for gas sensing applications, *Adv. Mater. Interfaces* 3 (2016) 1600335, <https://doi.org/10.1002/admi.201600335>.
67. Q. Yue, Z. Shao, S. Chang, J. Li, Adsorption of gas molecules on monolayer MoS₂ and effect of applied electric field, *Nanoscale Res. Lett.* 8 (2013) 425, <https://doi.org/10.1186/1556-276X-8-425>.
68. J. Bai, C. Zhao, H. Gong, Q. Wang, B. Huang, G. Sun, Y. Wang, J. Zhou, E. Xie, F. Wang, Debye-length controlled gas sensing performances in NiO@ZnO p-n junctional core–shell nanotubes, *J. Phys. D: Appl. Phys.* 52 (2019), 285103, <https://doi.org/10.1088/1361-6463/ab182f>.
69. A. Rosental, A. Tarre, A. Gerst, J. Sundqvist, A. Hårsta, A. Aidla, J. Aarik, V. Sammelselg, T. Uustare, Gas sensing properties of epitaxial SnO₂ thin films prepared by atomic layer deposition, *Sens. Actuators B Chem.* 93 (2003) 552–555, [https://doi.org/10.1016/S0925-4005\(03\)00236-3](https://doi.org/10.1016/S0925-4005(03)00236-3).
70. N.A. Yebo, S.P. Sree, E. Levrau, C. Detavernier, Z. Hens, J.A. Martens, R. Baets, Selective and reversible ammonia gas detection with nanoporous film functionalized silicon photonic micro-ring resonator, *Opt. Express* 20 (2012) 11855, <https://doi.org/10.1364/OE.20.011855>.



71. D.-H. Kim, W.-S. Kim, S. Kim, S.-H. Hong, Brookite TiO₂ thin film epitaxially grown on (110) YSZ substrate by atomic layer deposition, *ACS Appl. Mater. Interfaces* 6 (2014) 11817–11822, <https://doi.org/10.1021/am501656r>. D. Santos-Carballal et al. *Nano Energy* 109 (2023) 108301 12
72. I. Levin, D. Brandon, Metastable alumina polymorphs: crystal structures and transition sequences, *J. Am. Ceram. Soc.* 81 (2005) 1995–2012, <https://doi.org/10.1111/j.1151-2916.1998.tb02581.x>.
73. Y. Zou, S. Xi, T. Bo, X. Zhou, J. Ma, X. Yang, C. Diao, Y. Deng, Mesoporous amorphous Al₂O₃/crystalline WO₃ heterophase hybrids for electrocatalysis and gas sensing applications, *J. Mater. Chem. A* 7 (2019) 21874–21883, <https://doi.org/10.1039/C9TA08633A>.
74. Y.K. Mishra, G. Modi, V. Cretu, V. Postica, O. Lupan, T. Reimer, I. Paulowicz, V. Hrkac, W. Benecke, L. Kienle, R. Adelung, Direct growth of freestanding ZnO tetrapod networks for multifunctional applications in photocatalysis, UV photodetection, and gas sensing, *ACS Appl. Mater. Interfaces* 7 (2015) 14303–14316, <https://doi.org/10.1021/acsami.5b02816>.
75. D.R. Patil, L.A. Patil, D.P. Amalnerkar, Ethanol gas sensing properties of Al₂O₃-doped ZnO thick film resistors, *Bull. Mater. Sci.* 30 (2007) 553–559, <https://doi.org/10.1007/s12034-007-0086-6>.
76. C.H. Kwon, H.-K. Hong, D.H. Yun, K. Lee, S.-T. Kim, Y.-H. Roh, B.-H. Lee, Thickfilm zinc-oxide gas sensor for the control of lean air-to-fuel ratio in domestic combustion systems, *Sens. Actuators B Chem.* 25 (1995) 610–613, [https://doi.org/10.1016/0925-4005\(95\)85134-8](https://doi.org/10.1016/0925-4005(95)85134-8).
77. V.V. Kondalkar, L.T. Duy, H. Seo, K. Lee, Nanohybrids of Pt-functionalized Al₂O₃/ZnO core-shell nanorods for high-performance MEMS-based acetylene gas sensor, *ACS Appl. Mater. Interfaces* 11 (2019) 25891–25900, <https://doi.org/10.1021/acsami.9b06338>.
78. Y. Zhu, Y. Zhao, J. Ma, X. Cheng, J. Xie, P. Xu, H. Liu, H. Liu, H. Zhang, M. Wu, A. A. Elzatahry, A. Alghamdi, Y. Deng, D. Zhao, Mesoporous tungsten oxides with crystalline framework for highly sensitive and selective detection of foodborne pathogens, *J. Am. Chem. Soc.* 139 (2017) 10365–10373, <https://doi.org/10.1021/jacs.7b04221>.
79. Y. Li, W. Luo, N. Qin, J. Dong, J. Wei, W. Li, S. Feng, J. Chen, J. Xu, A. A. Elzatahry, M.H. Es-Saheb, Y. Deng, D. Zhao, Highly ordered mesoporous tungsten oxides with a large pore size and crystalline framework for H₂S sensing, *Angew. Chem. Int. Ed.* 53 (2014) 9035–9040, <https://doi.org/10.1002/anie.201403817>.
80. Q.-H. Xu, D.-M. Xu, M.-Y. Guan, Y. Guo, Q. Qi, G.-D. Li, ZnO/Al₂O₃/CeO₂ composite with enhanced gas sensing performance, *Sens. Actuators B Chem.* 177 (2013) 1134–1141, <https://doi.org/10.1016/j.snb.2012.12.029>.
81. I. Kocemba, M. Wrobeljedrzejewska, A. Szychowska, J. Rynkowski, M. Glowka, The properties of barium stannate and aluminum oxide-based gas sensor: the role of Al₂O₃ in this system, *Sens. Actuators B Chem.* 121 (2007) 401–405, <https://doi.org/10.1016/j.snb.2006.03.052>.
82. I. Wang, S. Jiang, H. Liu, S. Wang, Q. Pan, Y. Yin, G. Zhang, P-type gas-sensing behavior of Ga₂O₃/Al₂O₃ nanocomposite with high sensitivity to NO_x at room temperature, *J. Alloy. Compd.* 814 (2020), 152284, <https://doi.org/10.1016/j.jallcom.2019.152284>.
83. S. Schroder, N. Ababii, O. Lupan, J. Drewes, N. Magariu, H. Krüger, T. Strunskus, R. Adelung, S. Hansen, F. Faupel, Sensing performance of CuO/Cu₂O/ZnO:Fe heterostructure coated with thermally stable ultrathin hydrophobic PV3D3 polymer layer for battery application, *Mater. Today Chem.* 23 (2022), 100642, <https://doi.org/10.1016/j.mtchem.2021.100642>.
84. A. Wildenberg, Y. Fenard, M. Carbonnier, A. Kéromnès, B. Lefort, Z. Serinyel, G. Dayma, L. Le Moynes, P. Dagaut, K.A. Heufer, An experimental and kinetic modeling study on the oxidation of 1,3-dioxolane, *Proc. Combust. Inst.* 38 (2021) 543–553, <https://doi.org/10.1016/j.proci.2020.06.362>.
85. A.H. Cutler, M.J. Antal, M. Jones, Kinetics and mechanism of the vapor phase pyrolysis of 1,3-dioxolane in steam, *J. Anal. Appl. Pyrolysis* 12 (1987) 223–242, [https://doi.org/10.1016/0165-2370\(87\)85003-9](https://doi.org/10.1016/0165-2370(87)85003-9).
86. J.-H. Lee, J.-H. Kim, S.S. Kim, CuO–TiO₂ p–n core–shell nanowires: sensing mechanism and p/n sensing-type transition, *Appl. Surf. Sci.* 448 (2018) 489–497, <https://doi.org/10.1016/j.apsusc.2018.04.115>.
87. A. Mirzaei, J.-H. Kim, H.W. Kim, S.S. Kim, How shell thickness can affect the gas sensing properties of nanostructured materials: survey of literature, *Sens. Actuators B Chem.* 258 (2018) 270–294, <https://doi.org/10.1016/j.snb.2017.11.066>.



88. J.-H. Kim, A. Katoch, S.S. Kim, Optimum shell thickness and underlying sensing mechanism in p-n CuO–ZnO core–shell nanowires, *Sens. Actuators B Chem.* 222 (2016) 249–256, <https://doi.org/10.1016/j.snb.2015.08.062>.
89. N. Yamazoe, New approaches for improving semiconductor gas sensors, *Sens. Actuators B Chem.* 5 (1991) 7–19, [https://doi.org/10.1016/0925-4005\(91\)80213-4](https://doi.org/10.1016/0925-4005(91)80213-4).
90. G.W. Watson, E.T. Kelsey, N.H. de Leeuw, D.J. Harris, S.C. Parker, Atomistic simulation of dislocations, surfaces and interfaces in MgO, *J. Chem. Soc. Faraday Trans.* 92 (1996) 433–438, <https://doi.org/10.1039/ft9969200433>.
91. G. Makov, M.C. Payne, Periodic boundary conditions in ab initio calculations, *Phys. Rev. B* 51 (1995) 4014–4022, <https://doi.org/10.1103/PhysRevB.51.4014>.
92. I. Neugebauer, M. Scheffler, Adsorbate-substrate and adsorbate-adsorbate interactions of Na and K adlayers on Al(111), *Phys. Rev. B.* 46 (1992) 16067–16080, <https://doi.org/10.1103/PhysRevB.46.16067>.
93. M.A. Peck, D. Santos-Carballal, N.H. de Leeuw, M. Claeys, Density functional theory study of the adsorption of oxygen and hydrogen on 3d transition metal surfaces with varying magnetic ordering, *South Afr. J. Chem.* 74 (2021) 69–72, <https://doi.org/10.17159/0379-4350/2021/v74a11>.
94. D. Santos-Carballal, A. Roldan, R. Grau-Crespo, N.H. de Leeuw, A. DFT, study of the structures, stabilities and redox behaviour of the major surfaces of magnetite Fe₃O₄, *Phys. Chem. Chem. Phys.* 16 (2014) 21082–21097, <https://doi.org/10.1039/c4cp00529e>.
95. C.E. Mitchell, D. Santos-Carballal, A.M. Beale, W. Jones, D.J. Morgan, M. Sankar, N.H. de Leeuw, The role of surface oxidation and Fe–Ni synergy in Fe–Ni–S catalysts for CO₂ hydrogenation, *Faraday Discuss.* 230 (2021) 30–51, <https://doi.org/10.1039/D0FD00137F>.
96. D. Santos-Carballal, A. Roldan, N.Y. Dzade, N.H. de Leeuw, Reactivity of CO₂ on the surfaces of magnetite (Fe₃O₄), greigite (Fe₃S₄) and mackinawite (FeS), *Philos. Trans. R. Soc. A Math. Phys. Eng. Sci.* 376 (2018) 20170065, <https://doi.org/10.1098/rsta.2017.0065>.
97. A.E. Shields, D. Santos-Carballal, N.H. de Leeuw, A density functional theory study of uranium-doped thoria and uranium adatoms on the major surfaces of thorium dioxide, *J. Nucl. Mater.* 473 (2016) 99–111, <https://doi.org/10.1016/j.jnucmat.2016.02.009>.
98. M.U. Ungerer, D. Santos-Carballal, C.G. van Sittert, N.H. de Leeuw, Competitive adsorption of H₂O and SO₂ on catalytic platinum surfaces: a density functional theory study, *South Afr. J. Chem.* 74 (2021) 57–68, <https://doi.org/10.17159/0379-4350/2021/v74a10>.
99. G. Henkelman, A. Arnaldsson, H. Jonsson, A fast and robust algorithm for Bader decomposition of charge density, *Comput. Mater. Sci.* 36 (2006) 354–360, <https://doi.org/10.1016/j.commatsci.2005.04.010>.
100. E. Sanville, S.D. Kenny, R. Smith, G. Henkelman, Improved grid-based algorithm for Bader charge allocation, *J. Comput. Chem.* 28 (2007) 899–908, <https://doi.org/10.1002/jcc.20575>.
101. W. Tang, E. Sanville, G. Henkelman, A grid-based Bader analysis algorithm without lattice bias, *J. Phys. Condens. Matter* 21 (2009), 084204, <https://doi.org/10.1088/0953-8984/21/8/084204>.
102. J. Tersoff, D.R. Hamann, Theory of the scanning tunneling microscope, *Phys. Rev. B.* 31 (1985) 805–813, <https://doi.org/10.1103/PhysRevB.31.805>.
103. D.E.P. Vanpoucke, G. Brocks, Formation of Pt-induced Ge atomic nanowires on Pt/Ge(001): a density functional theory study, *Phys. Rev. B.* 77 (2008), 241308, <https://doi.org/10.1103/PhysRevB.77.241308>.
104. M.J. Ungerer, D. Santos-Carballal, A. Cadi-Essadek, C.G.C.E. van Sittert, N.H. de Leeuw, Interaction of H₂O with the platinum Pt (001), (011), and (111) surfaces: a density functional theory study with long-range dispersion corrections, *J. Phys. Chem. C.* 123 (2019) 27465–27476, <https://doi.org/10.1021/acs.jpcc.9b06136>.
105. X. Wang, D. Santos-Carballal, N.H. de Leeuw, Density functional theory study of monoclinic FeNbO₄: bulk properties and water dissociation at the (010), (011), (110), and (111) surfaces, *J. Phys. Chem. C.* 125 (2021) 27566–27577, <https://doi.org/10.1021/acs.jpcc.1c05452>.
106. T. Jaumann, J. Balach, M. Klose, S. Oswald, J. Eckert, L. Giebeler, Role of 1,3-dioxolane and LiNO₃ addition on the long term stability of nanostructured silicon/carbon anodes for rechargeable lithium batteries, *J. Electrochem. Soc.* 163 (2016) A557–A564, <https://doi.org/10.1149/2.1011603jes>.
107. J.S. Edge, S. O’Kane, R. Prosser, N.D. Kirkaldy, A.N. Patel, A. Hales, A. Ghosh, W. Ai, J. Chen, J. Yang, S. Li, M.-C. Pang, L. Bravo Diaz, A. Tomaszewska, M. W. Marzook, K.N. Radhakrishnan,



- H. Wang, Y. Patel, B. Wu, G.J. Offer, Lithium ion battery degradation: what you need to know, *Phys. Chem. Chem. Phys.* 23 (2021) 8200–8221, <https://doi.org/10.1039/D1CP00359C>.
108. Z. Lu, L. Yang, Y. Guo, Thermal behavior and decomposition kinetics of six electrolyte salts by thermal analysis, *J. Power Sources* 156 (2006) 555–559, <https://doi.org/10.1016/j.jpowsour.2005.05.085>.
109. B. Ravdel, K. Abraham, R. Gitzendanner, J. DiCarlo, B. Lucht, C. Campion, Thermal stability of lithium-ion battery electrolytes, *J. Power Sources* 119–121 (2003) 805–810, [https://doi.org/10.1016/S0378-7753\(03\)00257-X](https://doi.org/10.1016/S0378-7753(03)00257-X).
110. C. Lupan, A.K. Mishra, N. Wolff, J. Drewes, H. Krüger, A. Vahl, O. Lupan, T. Pauport'e, B. Viana, L. Kienle, R. Adelung, N.H. de Leeuw, S. Hansen, *ACS Appl. Mater. Interfaces* 14 (2022) 41196–41207, <https://doi.org/10.1021/acsami.2c10975>.