

basic solid state physics

1971, Volume 43, Number 1, pag. K87-K91

Anisotropy of Edge Absorption and Photoluminescence of Tetragonal ZnP2 and CdP2 Single Crystals

Sobolev V. V. Syrbu N. N.

https://doi.org/10.1002/pssb.2220430168

Short Notes

K87

phys. stat. sol. (b) 43, K87 (1971)

Subject classification; 20.1 and 20.3; 13.1; 22.3

Institute of Applied Physics, Academy of Sciences of the Moldavian SSR, Kishinev

Anisotropy of Edge Absorption and, Photoluminescence of Tetragonal ZnP₂ and CdP₂ Single Crystals

By

V. V. SOBOLEV and N. N. SYRBU

Optical properties of zinc and cadmium diphosphide at the fundamental absorption edge are little investigated (1 to 5). The earlier works were performed on unperfect samples and with non-polarized light preventing the character of electronic transitions at the minimal interband energy gaps to be established, and their energy values (Eg ind., Eg dir. - see Table 1) to be determined.

In the present paper the edge absorption spectra (293 and 77 K) and photoluminescence spectra (77 K) of zinc and cadmium diphosphide single crystals were studied in polarized light (fig and fig. 1 to 3). The samples were cleaved in the form of thin plates or bulk crystals from single crystals grown from the vapour phase.

Table 1 The minimal energy gaps, due to the indirect ($E_{g\ ind.}$) and direct ($E_{g\ dir.}$) transitions for tetragonal ZnP_{2} and CdP_{2} single crystals

com- pound	type of the tran- sition	polari- zation	energy band gaps (eV)		$\beta = \Delta E/\Delta T$
			293 °K	77 °K	(eV/deg)
ZnP ₂	Eg ind.	€ lle	1.85	1.90	-2.3x10 ⁻⁴
		£T¢	1.65	1.70	-2.3x10 ⁻⁴
	Eg dir.	£10	2.18	2.30	-5.5x10
		€⊥e	2.18	2.30	-5, 5x10
CdP ₂	Eg ind.	(le	1.65	1.70	-3.7x10
		£Te	1.55	1.64	-4.2x10
	Eg dir.	610	1.92	2.11	-8.6x10
		£1e	1.92	2.11	-8.6x10 ⁻⁴