



6th International Conference on Nanotechnologies and Biomedical Engineering
Proceedings of ICNBME-2023, September 20–23, 2023, Chisinau, Moldova - Volume 1:
Nanotechnologies and Nano-biomaterials for Applications in Medicine

Properties of Vacuum-Evaporated $\text{CH}_3\text{NH}_3\text{PbCl}_3-x\text{I}_x$ Perovskite Layers

Gagik Ayvazyan, Surik Khudaverdyan, Lenrik Matevosyan, Harutyun
Dashtoyan, Ashok Vaseashta

https://doi.org/10.1007/978-3-031-42775-6_1

Abstract

Perovskite layers as a photo absorber material are widely used in single-junction and tandem solar cells. The characteristics of these solar cells have been greatly improved in recent years. This study prepared the $\text{CH}_3\text{NH}_3\text{PbI}_3-x\text{Cl}_x$ metal halide perovskite layers on glass substrates covered with a thin indium tin oxide film by vacuum thermal evaporation method. Inorganic lead iodide (PbI_2) and organic methylammonium chloride ($\text{CH}_3\text{NH}_3\text{Cl}$) were used as precursors. The layers were characterized by scanning electron microscope, X-ray diffraction, and C–V measurements. The transmission and absorption of the obtained layers were studied within the wavelength range of 400 to 1100 nm. It was found that the structural and optoelectronic properties of sequentially (layer-by-layer) evaporated (after annealing at the temperature of 100 °C for 30min) and co-evaporated (jointly) perovskite layers are similar. The perovskite layers had a tetragonal crystal structure. They densely, without pinholes and cracks covered the surface of the substrates. The layers show a favorable band gap of 1.57 eV. The low-temperature optical studies were carried out to reveal the temperature dependence of the band gap energy. The possibility of increasing the layers' thermal stability by adding 2.3% cesium iodide to the PbI_2 precursor during the evaporation process was also shown.

Keywords: solar cells, vacuum evaporation, perovskite layers, thermal stability



**6th International Conference on Nanotechnologies and Biomedical Engineering
Proceedings of ICNBME-2023, September 20–23, 2023, Chisinau, Moldova - Volume 1:
Nanotechnologies and Nano-biomaterials for Applications in Medicine**

References

1. Wang, R., Huang, T., Xue, J., Tong, J., Zhu, K., Yang, Y.: Prospects for metal halide perovskite based tandem solar cells. *Nat. Photon.* **15**, 411–425 (2021). <https://doi.org/10.1038/s41566-021-00809-8>
2. Marangi, F., Lombardo, M., Villa, A., Scotognella, F.: New strategies for solar cells beyond the visible spectral range. *Opt. Mater. X* **11**, 100083 (2021). <https://doi.org/10.1016/j.omx.2021.100083>
3. Green, M., et al.: Solar cell efficiency tables (version 61). *Prog. Photovolt. Res. Appl.* **31**, 3–16 (2023). <https://doi.org/10.1002/pip.3646>
4. Gevorkian, Z., Gasparian, V., Lozovik, Y.: Large diffusion lengths of excitons in perovskite and TiO₂ heterojunction. *Appl. Phys. Lett.* **108**, 051109 (2016). <https://doi.org/10.1063/1.4941242>
5. Al-Asbahi, B.A., et al.: Effect of deposition method on the structural and optical properties of CH₃NH₃PbI₃ perovskite thin films. *Opt. Mat.* **103**, 109836 (2020). <https://doi.org/10.1016/j.optmat.2020.109836>
6. Ayvazyan, G., Vaseashta, A., Gasparyan, F., Khudaverdyan, S.: Effect of thermal annealing on the structural and optical properties of black silicon. *J. Mater. Sci. Mater. Electron.* **33**, 17001–17010 (2022). <https://doi.org/10.1007/s10854-022-08578-y>
7. Cojocaru, L., et al.: Detailed investigation of evaporated perovskite absorbers with high crystal quality on different substrates. *ACS Appl. Mater. Interfaces* **10**, 26293–26302 (2018). <https://doi.org/10.1021/acsami.8b07999>
8. Guesnay, Q., Sahli, F., Ballif, C., Jeangros, Q.: Vapor deposition of metal halide perovskite thin films: process control strategies to shape layer properties. *APL Mater.* **9**, 100703 (2021). <https://doi.org/10.1063/5.0060642>
9. Gevorkian, Z., Matevosyan, L., Avjyan, K., Harutyunyan, V., Aleksanyan, E., Manukyan, K.: Determination of the complete set of optical parameters of micron-sized polycrystalline CH₃NH₃PbI₃-xCl_x films from the oscillating transmittance and reflectance spectra. *Mater. Res. Express* **7**, 016408 (2019). <https://doi.org/10.1088/2053-1591/ab5c46>
10. Salhi, B., Wudil, Y.S., Hossain, M.K., Al-Ahmed, A., Al-Sulaiman, F.A.: Review of recent developments and persistent challenges in stability of perovskite solar cells. *Renew. Sustain. Energy Rev.* **90**, 210 (2018). <https://doi.org/10.1016/j.rser.2018.03.058>
11. Zhou, D., Zhou, T., Tian, Y., Zhu, X., Tu, Y.: Perovskite-based solar cells: Materials, methods, and future perspectives. *J. Nanomater.* **2018**, 1 (2018). <https://doi.org/10.1155/2018/8148072> Properties of Vacuum-Evaporated CH₃NH₃PbCl₃-xI_x Perovskite Layers 11
12. Vaseashta, A., Ayvazyan, G., Khudaverdyan, S., Matevosyan, L.: Structural and optical properties of vacuum-evaporated mixed-halide perovskite layers on nanotextured black silicon. *Phys. Status Solidi RRL* **17**, 2200482 (2023). <https://doi.org/10.1002/pssr.202200482>
13. Choi, H., et al.: Cesium-doped methylammonium lead halide perovskite light absorber for hybrid solar cells. *Nano Energy* **7**, 80–85 (2014). <https://doi.org/10.1016/j.nanoen.2014.04.017>
14. Ayvazyan, G.Y., Kovalenko, D.L., Lebedev, M.S., Matevosyan, L.A., Semchenko, A.V.: Investigation of the structural and optical properties of silicon-perovskite structures with a black silicon layer. *J. Contemp. Phys.* **57**, 274 (2022). <https://doi.org/10.1134/S1068337222030069>
15. Milot, R.L., Eperon, G.E., Snaith, H.J., Johnson, M.B., Herz, L.M.: Temperature dependent charge-carrier dynamics in CH₃NH₃PbI₃ perovskite thin films. *Adv. Func. Mater.* **25**(39), 6218–6227 (2017). <https://doi.org/10.1002/adfm.201502340>
16. Baranowski, M., Plochcka, P.: Excitons in metal-halide perovskites. *Adv. Energy Mater.* **10**, 1903659 (2020). <https://doi.org/10.1002/aenm.201903659>



**6th International Conference on Nanotechnologies and Biomedical Engineering
Proceedings of ICNBME-2023, September 20–23, 2023, Chisinau, Moldova - Volume 1:
Nanotechnologies and Nano-biomaterials for Applications in Medicine**

17. Miyata, A., Mitioglu, A., Plochocka, P., Portugall, O., Snaiteet, H.: Direct measurement of the exciton binding energy and effective masses for charge carriers in organic-inorganic tri-halide perovskites. *Nat. Phys.* **11**(7), 582–587 (2015). <https://doi.org/10.1038/nphys3357>